

Summer Term 2018

# Software Engineering Design & Construction

Dr. Michael Eichberg  
Fachgebiet Softwaretechnik  
Technische Universität Darmstadt

---

Decorator Pattern

---

# Intent of the Decorator Pattern


---

We need to add functionality to existing objects *such that the extension are reusable!*


---

- dynamically, i.e., during runtime after the object is created,
- without having to implement conditional logic to use the new functionality.

# The Structure of a Decorator-Based Design



# The Decorator Pattern - *by Example*




```
DataInputStream dis = new DataInputStream(new FileInputStream(file));
```


```
dis.readUnsignedByte();
```

# Each Variation Defined Once

No Code Duplication



Using the Decorator Pattern



# Improved Flexibility

- Decorative functionality can be added / removed at run-time.
- Combining different decorator classes for a component class enables to mix and match responsibilities as needed.

```
is = new FileInputStream(file);  
is.read(...);
```

```
...  
DataInputStream dis = new DataInputStream(is);  
dis.readUnsignedByte();
```

```
...  
(new BufferedInputStream(dis)).readLine(...);
```

- Easy to add functionality twice.  
E.g., given a class **BorderDecorator** for a **TextField**, to add a double border, attach two instances of **BorderDecorator**.

# Decorator

## Avoids Incoherent Classes

- No need for feature-bloated classes positioned high up in the inheritance hierarchy to avoid code duplication.
- **Pay-as-you-go approach:** Do not bloat, but extend using fine-grained Decorator classes.
  - Functionality can be composed from simple pieces.
  - A client does not need to pay for features it does not use.

# Advantages of Decorator-Based Designs

---

A fine-grained Decorator hierarchy is easy to extend.

Decorator helps to design software that better supports OCP.





# Consequences of Decorator-Based Designs

(in Java)

- Lots of Little Objects
- A decorator and its component are not identical (Object identity)

```
FileInputStream fin = new FileInputStream("a.txt");  
BufferedInputStream din = new BufferedInputStream(fin);
```


- No Late Binding



# No Late Binding Illustrated


Task:

- Extend the design to enable online access to accounts.
- Decorator seems to be the right choice!
- Among other things, we decorate the description of accounts with the label “online”.
- The way the history is calculated does not need to be decorated, hence, the decorator just forwards.




# No Late Binding Illustrated

Do you see where we hit the "no-late binding" problem?



# No Late Binding Illustrated



Does the call to `printHistory` on `onlineAcc` behave as expected?

...

```
Account checkingAcc = new CheckingAccount(...);
```

...

```
Account onlineAcc = new OnlineAccount(checkingAcc);
```

...

```
onlineAcc.printHistory();
```

...

# Implementation Issues

- Keep the common class (**Component**) lightweight!
- A decorator's interface must conform to the interface of the component it decorates.
- There is no need to define an abstract **Decorator** class when you only need to add one responsibility.

# Decorator and the Fragile Base-Class Problem

---

Does the use of the Decorator  
Pattern solve the fragile base-class  
problem?

# The InstrumentedHashSet again...

```
public class InstrumentedHashSet<E> extends java.util.HashSet<E> {
    private int addCount = 0;
    ...
    @Override public boolean add(E e) {
        addCount++; return super.add(e);
    }
    @Override public boolean addAll(java.util.Collection<? extends E> c) {
        addCount += c.size(); return super.addAll(c);
    }
    public int getAddCount() { return addCount; }
}

public static void main(String[] args) {
    InstrumentedHashSet<String> s = new InstrumentedHashSet<String>();
    s.addAll(Arrays.asList("aaa", "bbb", "ccc"));
    System.out.println(s.getAddCount());
}
```

Ask yourself (again): What is printed on the screen?

# A Decorator-Based InstrumentedSet

1. Declare an interface `Set<E>`
2. Let `HashSet<E>` implement `Set<E>`
3. Define `ForwardingSet<E>` as an implementation of `Set<E>`
4. `ForwardingSet<E>` (our root Decorator)
  1. Has a field `s` of type `Set<E>`
  2. Implements methods in `Set<E>` by forwarding them to `s`
5. `InstrumentedSet<E>` (a concrete Decorator) extends `ForwardingSet<E>` and overrides methods `add` and `addAll`



# A ForwardingSet<E>

```
import java.util.*;
public class ForwardingSet<E> implements Set<E> {
    private final Set<E> s;

    public ForwardingSet(Set<E> s) { this.s = s; }
    public void clear() { s.clear();}
    public boolean contains(Object o) { return s.contains(o); }
    public boolean isEmpty(){ return s.isEmpty();}
    public int size(){ return s.size();}
    public Iterator<E> iterator(){ return s.iterator();}
    public boolean add(E e){ return s.add(e);}
    public boolean remove(Object o) { return s.remove(o);}
    public boolean containsAll(Collection<?> c) { ... }
    public boolean addAll(Collection<? extends E> c) { ... }
    public boolean removeAll(Collection<?> c) {...}
    ...
}
```

# An Alternative InstrumentedSet

```
import java.util.*;
public class InstrumentedSet<E> extends ForwardingSet<E> {
    private int addCount = 0;
    public InstrumentedSet(Set<E> s) { super(s); }
    @Override public boolean add(E e) {
        addCount++;
        return super.add(e);
    }
    @Override public boolean addAll(Collection<? extends E> c){
        addCount += c.size();
        return super.addAll(c);
    }
    public int getAddCount() { return addCount; }
}
public static void main(String[] args) {
    InstrumentedSet<String> s =
        new InstrumentedSet<String>(new HashSet<String>());
    s.addAll(Arrays.asList("aaa", "bbb", "ccc"));
    System.out.println(s.getAddCount());
}
```

What is printed on the screen?


# Decorator and the Fragile Base-Class Problem

---

Does the use of the Decorator  
Pattern **really** solve the fragile  
base-class problem?


# Decorator and Strategy

Decorator and Strategy share the goal of supporting *dynamic behavior adaptation*.




# Simulate the Effect of Each Other

By extending the number of strategies from just one to an open-ended list, we achieve principally the same effect as nesting decorators.




# Transparent vs. Non-Transparent Change

Decorator changes a component from the outside:  
*The component does not know* about its decorators.



Strategy changes a component from the inside:  
*Component knows* about Strategy-based extensions.



# Takeaway Decorator vs. Strategy

- Like the Strategy, the Decorator pattern also uses a combination of object composition and inheritance/subtype polymorphism to support dynamic and reusable variations.
- Unlike the Strategy, it adapts object behavior from the outside rather than inside.
- Unlike Strategy, variations encapsulated in decorator objects do not leave any footprint in the behavior of the objects being adapted.
- In that sense, it has a stronger “inheritance” resemblance than Strategy.

# Takeaway

Decorator may lead to error-prone and hard to understand designs.

- Many little objects emulate the behavior of a conceptually single object.
- No object identity.
- No late-binding.
- Not appropriate for modeling the variability of heavy-weight objects with a lot of functionality.
- Might not be applicable to third-party library objects.
- It does solve the fragile base-class problem w.r.t. the self-call structure.



# A "Static" Decorator

Using mixins we can statically decorate classes (class composition vs. object composition) and also get delegation semantics.

```
trait Component {
  def state : String
  def name: String
}
trait ComponentDecoratorA extends Component {
  abstract override def name = "ByADecorated:"+super.name
}
trait ComponentDecoratorB extends Component {
  abstract override def name = "ByBDecorated:"+super.name
}
case class AComponent (id : String) extends Component {
  def state = name+": "+id
  def name = "A"
}
object DemoStructuralDecorator extends App {
  val c = new AComponent("42") // static decoration
    with ComponentDecoratorA with ComponentDecoratorB
  println(c.state)
}
```

Output:  
ByBDecorated:ByADecorated:A:42