


Software Engineering Design & Construction

Dr. Michael Eichberg
Fachgebiet Softwaretechnik
Technische Universität Darmstadt

Strategy Pattern


The Strategy Pattern in a Nutshell



Intent:


- Define a family of algorithms,
- Encapsulate each one,
- Make them interchangeable at runtime.

The Strategy Pattern in a Nutshell



Strategy lets the algorithm vary dynamically and independently from clients that use it.

When to Use the Strategy Pattern



- You need different variants of an algorithm.
- You need to select the variant of an algorithm dynamically.
- You need to be able to support the creation of new variants of the algorithm.

OCP

You need different variants of an algorithm.

- Strategies can be used when variants of algorithms are implemented as a class hierarchy.
- Many related classes differ only in their behavior rather than implementing different related abstractions (types).
- Strategies allow to configure a class with one of many behaviors.

You need to select the variant of an algorithm dynamically.

- There are classes in your design that define many behaviors that appear as multiple conditional statements in its operations.
- Move related conditional branches into a strategy.

Strategy as an Alternative to Inheritance

- The Strategy Pattern represents an alternative to modeling different algorithms (sub-behaviors) as subclasses of a usage Context.
- Issues related to using inheritance:
 1. Inheritance mixes an algorithm's implementation with that of the Context. **The Context *may* become harder to understand, maintain, extend.**
 2. Inheritance results in many related classes which only differ in the algorithm or behavior they employ.
 3. When using subclassing we cannot vary the algorithm dynamically.


5

Encapsulating the algorithm in a Strategy:

- Lets you vary the algorithm independently of its usage context.
- Makes it easier to switch, understand, and extend the algorithm.

(The 2nd issue is particularly painful if Context is parameterized over multiple algorithms.)

Sorting Example with Strategy



6

`BubbleSorter` and `QuickSorter` embody different high-level policies for sorting the elements of a list.

They outsource to `SortHandle` the decision about the concrete mechanisms for element ordering and for swapping. `SortHandle` declares the common interface of low-level sorting mechanisms.


`IntSortHandle` and `DoubleSortHandle` implement this interface in different ways.

Not only are sorting policies reusable with (independent of) different ordering and swapping mechanisms; the latter become reusable with (independent of) different high-level sorting policies.

Furthermore, it is possible to customize the mechanisms dynamically.

Recall the dependency-inversion principle: High-level policies should not depend on low-level mechanisms. Both should depend on abstractions.

Concrete Example: LayoutManager in Swing



```
class Container extends Component{
    LayoutManager layoutMgr;
    ...
    public LayoutManager getLayout() {
        return layoutMgr;
    }

    public void layout() {
        layoutMgr.layoutContainer(this);
    }
    ...
}
```

For illustration, consider Java Containers with dynamically customizable strategies for laying out its components.

To keep the design open for future extensions, we „outsource“ the variable layout functionality to a strategy object of type `LayoutManager`.

Container objects hold a reference `layoutMgr` to a Container object and implement operations for managing this reference.

All operations, whose implementations depend on layout functionality, call specific methods in the interface of `LayoutManager`.

Recall, *first-class functions* are values that can be passed as parameters and returned as results.

Functional Counterpart of Strategies

- One can look at the Strategy pattern as a style for emulating *first-class functions* available in functional programming languages.
- **Strategy objects** encapsulate sub-computations in first-class values that can be passed as parameters and returned as results of other computations (methods).

The Cost of the Strategy Pattern

There are *trade-offs* to be made to profit from the advantages of the Strategy pattern.

These trade-offs must be known and carefully considered when using the Strategy.

9

There may be clients which are not interested in layout functionality. Hence, this can be considered as a violation of the Interface-Segregation Principle.

Footprint of Variations in Base Functionality

```
class Container extends Component{
    LayoutManager layoutMgr;

    public LayoutManager getLayout() {
        return layoutMgr;
    }

    public void layout() {
        layoutMgr.layoutContainer(this);
    }
    ..
}
```

- The field `layoutMgr`
- Methods to manage strategy objects; e.g., `setLayout`
- Facade methods forwarding functionality to strategy, e.g., `layout`

10

Structural Variation is not Supported

- The Strategy interface must **fit the needs of all possible variations** of the outsourced feature/algorithm.
- This may lead to bloated („One Size Fits All“) interfaces. The interfaces might be too complicated for some clients not interested in sophisticated variations of a feature.
- Careful anticipation of the needs of future variations is needed when designing the interface.
- Aggravates extensibility.

11

An Example „One Size Fits All“-Interface

```
interface ListSelectionModel {
    int SINGLE_SELECTION = 0;
    int SINGLE_INTERVAL_SELECTION = 1;
    int MULTIPLE_INTERVAL_SELECTION = 2;


    /** ...
     * In {@code SINGLE_SELECTION} selection mode,
     * this is equivalent to calling {@code setSelectionInterval},
     * and only the second index is used.
     * In {@code SINGLE_INTERVAL_SELECTION} selection mode,
     * this method behaves like {@code setSelectionInterval},
     * unless the given interval is immediately
     * adjacent to or overlaps the existing selection,
     * and can therefore be used to grow the selection.
     * ...
     */
    void addSelectionInterval(int index0, int index1);
}
```

12

Consider the list selection feature in Java's Swing library. This feature is outsourced to the class `ListSelectionModel`. The interface of `ListSelectionModel` is designed to satisfy the needs of the most flexible selection model (multiple interval selection). As a result, the interface is *too complicated* for clients of simpler selection models. See the comments of the methods in the interface.

When the „One Size Fits All“-Interface Doesn't fit!

Example from Java Swing's JComponent



At some point, the designers of the **LayoutManager** were forced to evolve the interface to satisfy new/ additional requirements posed by tool builders. This required a new interface that inherits from the original interface. Eventually, type checks and typecasts become necessary and significantly hamper code comprehension, maintainability, testability, and extensibility.

Communication Overhead

- Some concrete strategies won't use all information passed to them.
 - Simple concrete strategies may use none of it.
 - Context creates/initializes parameters that never get used.
- If this is an issue, consider using a tighter coupling between **Strategy** and **Context**. Let Strategy know about Context.

Two Ways of Strategy-Context Interaction:

1. Pass the needed information as a parameter.
 - Context and Strategy decoupled.
 - Interaction overhead.
 - Algorithm can't be adapted to specific needs of context.
2. Context passes itself as a parameter or Strategy has a reference to its Context.
 - Reduced interaction overhead.
 - Context must define a more elaborate interface to its data.
 - (Much) Close(r) coupling of Strategy and Context.

Variations with Fixed Interface

Strategy objects are effective in modeling features of an object with dynamically
varying implementations
but
fixed interfaces.

15

Increased Number of Objects

Potentially many strategy objects need to be instantiated.

To alleviate this problem you may use **Stateless Strategies**:

- The number of strategy objects can sometimes be reduced by stateless strategies that several Contexts can share.
- Any state is maintained by Context.
- Context passes the necessary state in each request to the Strategy object.
- (No / less coupling between Strategy implementations and Context.)
- Shared strategies should not maintain state across invocations.
- Such strategies are **Services**.

16

Usually, a stateless strategy is trivially thread-safe, but this is still something that should explicitly be considered.

Composition of Multiple Variations

Strategy objects cannot be effectively used to model interdependent variations.

E.g., `JTable` uses Strategies related to cell rendering, which however may depend on other properties of the cell: `isSelected`, `isDropTarget/isDragSource`.

Such interdependencies between different variation dimensions cannot be properly modularized using strategy objects only.

17

Illustrative example:

The `JTable` class in Java's Swing library uses the interface `TableCellRenderer` to abstract from different ways in which table cells can be rendered.

But, cell rendering may depend on other kinds of variations of table functionality, e.g., on the presence of selection or drag-and-drop functionality.

Usually, selected cells and drag-and-drop targets are rendered in a special way.

Takeaway

The core of the Strategy Pattern is to model variability of object features by outsourcing the implementation of these features in "helper" (strategy) objects. Exploiting "implementation to interfaces" and subtype polymorphism for abstracting over variations of the outsourced feature.



The Strategy pattern addresses two problems of inheritance:

- Variations become reusable.
- Dynamic variations of features becomes possible.

18

Technically, a combination of object composition and inheritance is used instead of inheritance only.

The Strategy pattern has its costs:

- Variations leave a footprint in the base implementation of the object.
- Structural variations are not supported.
- Careful planning of a one-size-fits-all interface is needed.
- Bloated interfaces and interaction overhead between strategy objects and their usage contexts.
- Increased number of objects.
- Multiple interdependent variations not properly supported.

Case Study: Ex- and Implicit Strategies

scala.collection.immutable.List

```
def sortWith(lt: (A, A) => Boolean): List[A]
```

Sorts this sequence according to a comparison function.

```
def sorted[B >: A](implicit ord: math.Ordering[B]): List[A]
```

Sorts this sequence according to an Ordering.

```
def sortBy[B](f: (A) => B)(implicit ord: math.Ordering[B]): List[A]
```

Sorts this Seq according to the Ordering which results from transforming an implicitly given Ordering with a transformation function.

Using `implicit` is very helpful if - in a given context - usually only one concrete Strategy object exists.

19

(Here, `implicit` is used to tell the compiler that it should automatically pass an object of the respective type to the function if only one such object exist!)

In the first case the strategy needs to be explicitly specified.

In the second case the strategy is chosen implicitly (if available!).

In the third case we need to specify a mapping for the list's elements $A \Rightarrow B$ for which the strategy is then chosen implicitly.

Filling the Design Space between Template and Strategy

Using mixin-composition and self-type annotations widens the design space.

```
trait Component
```

```
trait LayoutEngine { def layout(components: Array[Component]) }
```

```
trait BasicLayoutEngine extends LayoutEngine {  
  def layout(components: Array[Component]) { /*Basic means nothing..*/ }  
}
```

```
abstract class Container(private val components: Array[Component]) {  
  this: LayoutEngine => // <= Self-type annotation  
  def doLayout() { layout(components); }  
}
```

```
object LayoutEngineDemo extends App {  
  val c : Container = new Container(Array()) with BasicLayoutEngine  
  //c.layout (won't compile, because C is only of type Container!)  
  c.doLayout  
  println(c)  
}
```

20

Using this approach the solution is type-safe and variations are (still) reusable. However, dynamic variations of features are no longer possible.

Overall, we have the following advantages:

- LayoutEngine (low-level mechanism) is (still) well modularized and reusable
- Basically no overhead, because we do not have an additional object (as in case of Template Method)
- The interface of Container is not polluted (conforms to the ISP)

and the following disadvantage:

- "strategy" is not dynamically exchangeable